

P | Cabling

Data sheet

OpDAT MV perforated metal plate

Page 1/4

P/N

15036Z0403-E


EAN 4251394669663

2023/04/24

Illustrations



Dimensional drawing



See enlarged drawings at the end of document

Product specification

- perforated plate for retrofitting in an OpDAT MV housing
- for mounting network components or attaching top-hat rails



P | Cabling

Data sheet

Page 2/4

OpDAT MV perforated metal plate

P/N

15036Z0403-E

EAN 4251394669663

2023/04/24

Technical Data

General Data

Color	metallike
Dimensions	
Dimension (L x W x H)	1.5 mm x 100 mm x 106 mm
Dimension (L x W x H)	0.059 in. x 3.937 in. x 4.173 in.
Weight	720 g
Weight	1.5873 lb

Mechanical data

Mounting method	screwable
-----------------	-----------

Materials and material properties

Material	steel
RoHS	compliant

Classifications

ETIM 7.0	EC002609
ETIM 8.0	EC002609
ETIM 9.0	EC002609

Packing details

Type of packaging	1 pc(s) / box
-------------------	---------------

P | Cabling

Data sheet

Page 3/4

OpDAT MV perforated metal plate

P/N

15036Z0403-E

EAN 4251394669663

2023/04/24

Accessories from

P/N	Designation
15036000000-B	OpDAT MV unequipped IP65
15036000000-E	OpDAT MV unequipped IP54



P | Cabling

Data sheet

OpDAT MV perforated metal plate

Page 4/4

P/N

15036Z0403-E

EAN 4251394669663

2023/04/24

Illustrations

Dimensional drawing

